Saskatchewan
Ministry of
Agriculture

Crop Report

Crop Report for the Period July 20 to 26, 2010

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 17, July 29, 2010

Saskatchewan producers have 66 per cent of the hay crop cut and 38 per cent baled or put into silage, according to Saskatchewan Agriculture's weekly Crop Report.

The quality of the hay crop is rated as 19 per cent excellent, 58 per cent good and 10 per cent fair. Haying has progressed furthest in the south, where 73 per cent of the crop has been cut and 47 per cent baled or put into silage. Haying is progressing slowly due to high humidity; however, the relatively clear weather during the past week has allowed producers to make up some of the time lost in previous weeks. Thunderstorms continue in parts of the province, dropping hail and large amounts of rain.

Cropland topsoil moisture is rated as 29 per cent surplus, 68 per cent adequate and three per cent short. Topsoil moisture on hay land and pasture is rated as 18 per cent surplus, 77 per cent adequate, four per cent short and one per cent very short.

The warmer weather in the past two weeks has helped advance crops; however, most are still one to two weeks behind normal in development. Eighty-three per cent of the winter wheat, 88 per cent of the fall rye, 89 per cent of the triticale and 79 per cent of the peas are in good to excellent condition. Seventy-seven per cent of the spring wheat, 83 per cent of the durum, 78 per cent of the oats, 76 per cent of the barley, 80 per cent of the flax, 71 per cent of the canola, 81 per cent of the mustard, 77 per cent of the lentils, 78 per cent of the canaryseed and 97 per cent of the chickpeas are in fair to good condition.

The majority of crop damage is being caused by flooding and hail. Wheat midge and grasshoppers are also causing damage.

Pasture conditions are rated as 40 per cent excellent, 53 per cent good and seven per cent fair. Ninety-nine per cent of livestock producers have adequate water supplies for their livestock.

Farmers are busy haying, scouting fields and controlling crop diseases and insects.

One year ago
Seventy-five per cent of the hay crop was cut, with 49 per cent of this baled or put into silage. Dry condition, wheat midge, pea aphids and grasshoppers were causing the majority of crop damage.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Almost all areas in the region reported rain during the past week. The Stoughton area received 17 mm of rain, the Kisbey area 2 mm, the Broadview area 45 mm, the Weyburn area 16 mm, the Fillmore area 6 mm, the Moose Jaw area 44 mm, the Odessa area 7 mm and the Radville area 30 mm. The Windthorst area recorded no rain for the week.

Topsoil moisture conditions on cropland are reported as 23 per cent surplus, 73 per cent adequate and four per cent short. On hay land and pasture, topsoil moisture is rated as 19 per cent surplus, 78 per cent adequate and three per cent short. Crop districts 1A and 1B are reporting 44 and 39 per cent surplus topsoil moisture on cropland, respectively.

Crop damage is attributed primarily to flooding, hail and leaf diseases. Hail was reported in the Frobisher and Stoughton areas. Wheat midge are showing up in areas in CDs 1B and 2B.

Livestock producers made good progress with haying during the past week. Seventy per cent of the hay crop has been cut, and 40 per cent of that is baled or put into silage. Thirty per cent is still standing. Quality is rated as 21 per cent excellent, 64 per cent good and four per cent fair. Rain throughout the area and high humidity has delayed haying for some producers.

Pasture conditions are rated as 35 per cent excellent, 59 per cent good and six per cent fair. Ninety-nine per cent of producers report that they have sufficient water for their livestock.

Crops have advanced nicely with the warm weather. Haying is proving difficult due to thunderstorms and high humidity. Crops are in various stages of development from flowering to ripening. Wheat midge are being controlled in isolated areas. Weed control on unseeded acres and disease control continues when the weather allows. Hail-damaged crops are showing signs of disease. Hail damage ranges from three to 78 per cent. Farmers are busy haying, controlling weeds in chem-fallow, controlling disease and insects and hauling grain.

Southeastern SK Crop conditions - July 26, 2010							
	winter wheat	fall rye	spring wheat	durum	oats	barley	flax
% excellent	39	69	13	11	12	15	13
% good	56	25	57	58	54	53	49
% fair	5	6	22	23	24	24	29
% poor	0	0	5	5	7	6	5
% very poor	0	0	3	3	3	2	4
	canola	mustard	peas	lentils	canaryseed	chickpeas	
% excellent	13	5	16	8	8	8	
% good	51	52	49	53	58	85	
% fair	27	31	24	23	24	7	
% poor	6	10	7	11	5	0	
% very poor	3	2	4	5	5	0	

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Thunderstorms and rain were recorded in most of the region, although the amount of rain varied. Most areas reported less than 10 mm of rain. The Rockglen area received 18 mm, the Mossbank area 28 mm, the Vanguard area 14 mm, the Tyner area 8 mm, the Eastend area 24 and the Fox Valley area 10 mm.

Cropland topsoil moisture is rated as eight per cent surplus, 78 per cent adequate, 13 per cent short and one per cent very short. Hay land and pasture topsoil moisture conditions are five per cent surplus, 79 per cent adequate, 11 per cent short and five per cent very short. Cropland moisture in CDs 3ASW and 3BS is 41 and 33 per cent short, respectively.

Crop damage has been caused by grasshoppers, leaf diseases and gophers. Rockglen received hail, and reports indicate damage is quite severe. Crops in some areas could use some rain to help with filling.

Good progress was made with haying thanks to clear skies and good drying weather. The region has 76 per cent of the hay cut and 53 per cent of that has been baled or put into silage. Twenty-four per cent is still standing. Quality is rated as 31 per cent excellent, 53 per cent good and three per cent fair.

Pasture conditions are rated as 42 per cent excellent, 49 per cent good and nine per cent fair. Ninety-seven per cent of livestock producers report that they have sufficient water for their livestock.

Farmers are busy haying, scouting fields and controlling weeds, disease and grasshoppers. Grasshopper control is occurring primarily in lentil crops. There were a few reports of farmers controlling diamondback moth larvae in canola. Crop staging varies from field to field. Most of the wheat is heading; peas, lentils and mustard are podding; canola is flowering and podding; and flax is flowering and forming bolls. Hay rakes are popular this year to help cure the hay swath.

Southwestern SK Crop conditions - July 26, 2010							
	winter wheat	fall rye	spring wheat	durum	oats	barley	flax
% excellent	39	32	13	12	23	14	1
% good	40	59	68	70	65	73	71
% fair	21	9	17	16	12	13	28
% poor	0	0	2	2	0	0	0
% very poor	0	0	0	0	0	0	0
	canola	mustard	peas	lentils	canaryseed	chickpeas	
% excellent	9	22	12	10	24	2	
% good	72	63	72	71	46	77	
% fair	14	14	15	17	30	21	
% poor	4	1	1	1	0	0	
% very poor	1	0	0	1	0	0	

East-Central Saskatchewan (Crop Districts 5 and 6a)

Thunderstorms brought precipitation ranging one to 53 mm. Most areas recorded more than 15 mm of rain. The Abernethy area received 1 mm, the Churchbridge area received 35 mm, the Quill Lake area 53 mm, the Wynyard area 5 mm, the Leroy area 52 mm and the Bulyea area 17 mm. Since April 1, the region has received between 231 and 657 mm of rain.

Topsoil moisture on cropland is reported as 54 per cent surplus and 46 per cent adequate. Hay land and pasture topsoil moisture is rated as 37 per cent surplus and 63 per cent adequate. CD 5B is reporting 79 per cent surplus topsoil moisture on cropland.

Flooding continues to be the cause of the majority of crop damage. Hail damage was reported in the Churchbridge, Foam Lake, Quill Lake, Imperial, Leroy, Humboldt and Bradwell areas. Golf-ball-sized hail in the Leroy and Humboldt areas caused damage to crops, buildings and machinery. Wheat midge are also causing crop damage in some areas, and producers are taking control measures.

Fifty-six per cent of the hay crop has been cut, and 29 per cent of that has been baled or put into silage. Forty-four per cent is still standing. Frequent rains, wet hay fields and high humidity are slowing progress. Quality is reported as 19 per cent excellent, 53 per cent good and nine per cent fair. Haying progress varies across the region. Crop District 5A is reporting 66 per cent is cut (33 per cent baled), CD 5B is reporting 22 per cent cut (nine per cent baled) and CD 6A is reporting 73 per cent cut (40 per cent baled).

Pasture conditions are rated as 44 per cent excellent, 43 per cent good, 11 per cent fair, one per cent poor and one per cent very poor. All livestock producers indicate they have sufficient water for their animals.

Crop staging and condition varies widely, as seeding took place over a two-month period. Crops staging is anywhere from vegetative to ripening.

In Crop district 5B, reporters indicate that fields are still very wet and farmers are still getting stuck trying to undertake field operations. Cereals are heading out; most of the canola, mustard and peas are finishing flowering and starting to pod. Flax is finishing flowering and starting to form bolls. Many crops have flowered prematurely due to excess water stress.

In areas of Crop District 6A, crops are progressing rapidly with recent warm weather. Livestock producers like the hay yields.

East-central SK Crop conditions - July 26, 2010

	winter wheat	fall rye	spring wheat	durum	oats	barley	flax
% excellent	26	40	11	22	9	10	10
% good	51	38	60	67	54	54	61
% fair	15	10	15	9	21	20	18
% poor	7	10	12	1	13	13	10
% very poor	1	2	2	1	3	3	1

	canola	mustard	peas	lentils	canaryseed	chickpeas
% excellent	9	8	21	21	13	15
% good	51	73	58	61	48	82
% fair	20	16	11	11	30	3
% poor	18	3	9	7	9	0
% very poor	2	0	1	0	0	0

West-Central Saskatchewan (Crop Districts 6B and 7)

Most of the region recorded rain in amounts ranging from nil to 46 mm. The Sonningdale area received 20 mm, the Herschel and Biggar areas 34 mm, the Unity area 46 mm, the Luseland area 14 mm, the Rosetown area 5 mm and the Cando area 17 mm.

Cropland topsoil moisture is rated as 24 per cent surplus and 76 per cent adequate. Hay land and pasture topsoil moisture conditions are rated as 22 per cent surplus, 77 per cent adequate and one per cent short.

The majority of crop damage is due to insects and disease. Grasshopper infestations in lentil crops are severe enough to warrant control, but are below the economic threshold in the majority of crops. Wheat midge numbers are quite high in areas and farmers are applying insecticides. Tan spot, ascochyta blight and anthracnose are also causing crop damage, and farmers are applying fungicides. Hail damage was reported in the Major and Unity areas.

Fifty-six per cent of the hay crop has been cut, and 28 per cent of that is baled or put into silage. Forty-four per cent is still standing. Quality is rated 19 per cent excellent, 56 per cent good and 19 per cent fair. Some producers are concerned about getting the hay crop put up in good condition. The hay yields look good, but the swath is slow to dry due to rain and high humidity.

Pasture conditions are rated as 53 per cent excellent, 46 per cent good and one per cent fair. Ninety-eight per cent of the livestock producers indicate they have sufficient water for their animals.

Farmers are busy haying, controlling weeds and disease and hauling grain. Crops are looking pretty good, albeit one to two weeks behind normal in development. Crop staging is variable. Cereals are heading out and winter wheat is starting to fill. Peas, lentils and canola are finishing up flowering and some fields are podding. For the most part, the crops look good. Continued warm weather is needed to mature the crops. In Crop District 7B, fields are a little wetter compared to the rest of the region, making field operations difficult. Farmers are starting to prepare equipment for harvest.

West-central SK Crop conditions - July 26, 2010							
	winter wheat	fall rye	spring wheat	durum	oats	barley	flax
% excellent	18	27	19	24	12	17	5
% good	76	62	67	59	69	67	72
% fair	6	11	12	16	18	14	21
% poor	0	0	1	1	1	2	2
% very poor	0	0	0	0	0	0	0
	canola	mustard	peas	lentils	canaryseed	chickpeas	
% excellent	14	19	27	30	22	25	
% good	64	66	63	54	62	60	
% fair	19	13	9	14	14	13	
% poor	3	2	1	1	2	2	
% very poor	0	0	0	1	0	0	

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

A few areas in the region received large amounts of rain during the past week. The Tisdale area received 96 mm of rain, and the Arborfield and Codette areas recorded 71 and 61 mm, respectively. Most other areas reported less than 15 mm.

Cropland topsoil moisture is rated as 48 per cent surplus and 52 per cent adequate. Hay land and pasture topsoil moisture is rated as 42 per cent surplus and 58 per cent adequate.

Crop damage is attributed to hail, wheat midge and wind. Areas reporting hail damage include: Porcupine Plain, Arborfield, Tisdale, Codette, Lake Lenore, Humboldt and Vonda. The hail that fell in the Arborfield area was about the size of a two-dollar coin, flat with jagged edges. The hailstorm lasted for about 10 minutes. Farmers are scouting fields and controlling wheat midge where necessary. Flooding occurred in areas that experienced heavy rainfall.

Sixty-three per cent of the hay crop has been cut, and 33 of that has been baled or put into silage. Thirty-seven per cent of the hay crop is still standing. Quality is rated as 83 per cent good and eight per cent fair. There is concern about how much hay will be cut and put up in good condition if the rain continues. Crop reporters are indicating some hay fields are saturated and some swaths are under water.

Pasture conditions are rated as 15 per cent excellent, 76 per cent good and nine per cent fair. All livestock producers have a sufficient supply of water for their animals.

Canola is finishing up flowering; cereals are heading out. Field work continues to be a challenge. Farmers are trying to cultivate deeply rutted fields. Crop reporters indicate there are a few farmers with last year's swaths still out in the fields.

Northeastern SK Crop conditions - July 26, 2010

	winter wheat	fall rye	spring wheat	oats	barley	flax
% excellent	8	11	3	0	0	0
% good	56	50	35	43	33	26
% fair	35	38	37	45	41	54
% poor	1	1	20	12	22	18
% very poor	0	0	5	0	4	2
	canola	mustard	peas	lentils	canaryseed	
% excellent	1	0	0	0	0	
% good	31	45	39	65	13	
% fair	33	30	37	27	59	
% poor	29	20	23	5	25	
% very poor	6	5	1	3	3	

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

The thunderstorms that rolled through the region dropped varying amounts of moisture and hail in some areas. The Spiritwood area received 53 mm of rain, the Radisson area 10 mm, the Neilburg area 45 mm, the St. Walburg area 29 mm and the Turtleford area 19 mm. North Battleford received hail, although no significant damage was reported by crop reporters.

Topsoil moisture conditions for cropland are six per cent surplus, 93 per cent adequate and one per cent short. Pasture and hay land conditions are 100 per cent adequate.

Crop damage was mostly attributed to flooding and wheat midge. Farmers are controlling wheat midge.

Sixty-eight per cent of the hay crop has been cut, and 32 per cent of that has been baled or put into silage. Thirty-two per cent is still standing. Quality is reported as seven per cent excellent, 53 per cent good and 15 per cent fair. The rain of recent weeks has lowered the quality of hay in some areas. Hay yields and pastures look good.

Pasture conditions are rated as 55 per cent excellent, 39 per cent good and six per cent fair. All cattle producers indicate they have sufficient water for their animals.

The warmer temperatures helped advance crops. Barley and canola crops are starting to ripen and late-seeded crops are heading out. Most crops are late, but look quite good. Farmers are busy scouting fields and controlling insects. Crops are at varying stages of development and are about one to two weeks behind normal in development.

Northwestern SK Crop conditions - July 26, 2010				
	fall rye	spring wheat	oats	barley
% excellent	0	28	29	34
% good	93	52	56	44
% fair	7	20	15	22
% poor	0	0	0	0
% very poor	0	0	0	0
	flax	canola	peas	lentils
% excellent	N/A	41	53	0
% good	N/A	41	37	100
% fair	N/A	16	10	0
% poor	N/A	2	0	0
% very poor	N/A	0	0	0

SK (provincial) Crop conditions - July 26, 2010							
	winter wheat	fall rye	spring wheat	durum	oats	barley	flax
% excellent	33	35	14	14	12	13	11
% good	50	53	57	65	55	53	53
% fair	14	11	20	18	23	23	27
% poor	3	1	7	2	8	9	7
% very poor	0	0	0	1	2	2	2
	canola	mustard	peas	lentils	canaryseed	chickpeas	
% excellent	13	15	21	17	13	3	
% good	48	62	58	60	51	77	
% fair	23	18	16	17	27	20	
% poor	13	4	4	4	7	0	
% very poor	3	1	1	2	2	0	

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending July 26, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 28, 2010

Weekly Rainfall

for the week ending July 26, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 28, 2010

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period July 20 to 26, 2010

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	355.0
	2	Mount Pleasant	N/A	273.0
	3	Enniskillen	16	283.0
	33 A	Moose Creek	N/A	249.0
	33 B	Moose Creek	N/A	297.0
	34	Browning	N/A	257
	61	Antler	N/A	368
	63	Moose Mountain	15	305
	64	Brock	2	323
	65	Tecumseh	17	341
1B	91	Maryfield	39	308
	92	Walpole	N/A	295
	93	Wawken	12	365
	95	Golden West	NIL	303
	122	Martin	5	385
	123 A	Silverwood	8	269
	123 B	Silverwood	N/A	N/A
	124	Kingsley	27	244
	125	Chester	12.7	279
	151 A	Rocanville	9	359
	151 B	Rocanville	N/A	355
	153	Willowdale	35	399
	154	Elcapo	45	369
	155	Wolseley	11	390
2A	66	Griffin	N/A	352
	67	Weyburn	8	350
	68	Brokenshell	16	286
	69	Norton	N/A	313
	96	Fillmore	6	250
	97	Wellington	9	211
2B	127 A	Francis	7	286
	127 B	Francis	8	200
	129	Bratt's Lake	19	233
	156 A	Indian Head	16	378
	156 B	Indian Head	11	340
	157	South Qu'appelle	N/A	NIL
	160	Pense	44	304
	161	Moose Jaw	N/A	295
	191	Marquis	25	362
3ASE	38 A	Laurier	21	337
	38 B	Laurier	30	284
	39 A	The Gap	N/A	242
	39 B	The Gap	23	369
3ASW	10	Happy Valley	7	316
	11	Hart Butte	N/A	NIL
	12	Poplar Valley	2	229
	40	Bengough	3	273
	42	Willow Bunch	N/A	298
	43	Old Post	18	239
	44	Waverley	9	252
	70	Kay West	N/A	239
	71 A	Excel	N/A	279
	71 B	Excel	N/A	223
	73 A	Stonehenge	NIL	267
	73 B	Stonehenge	3	350
	74	Wood River	13	289
3AN	101	Terrell	10	338
	102	Lake Johnston	28	270
	103	Sutton	14	283
	134	Shamrock	N/A	350
	164	Chaplin	N/A	307
	193	Eyebrow	8	324
	194	Enfield	9	366
3BS	17	Val Marie	10	276
	45	Mankota	1	229
	75 A	Pinto Creek	N/A	228
	75 B	Pinto Creek	4	240
	76 A	Auvergne	3	205
	76 B	Auvergne	N/A	197
	77	Wise Creek	5	195
	78 A	Grassy Creek	8	289
	78 B	Grassy Creek	NIL	272
	78 C	Grassy Creek	N/A	305
	105	Glenbain	6	231
	106	Whiska Creek	14	181
	107	Lac Pelletier	N/A	245
	108	Bone Creek	12	301
3BN	138	Webb	1	316
	165	Morse	N/A	NIL
	166	Excelsior	2	437
	167	Sask. Landing	0.6	363
	168	Riverside	N/A	334
	226	Victory	N/A	321
	228	Lacadena	8	319
	255	Coteau	N/A	NIL
	257	Monet	NIL	304

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	24	300
	49 A	White Valley	21	232
	51	Reno	8.1	264
	79	Arlington	2	333
	109	Carmichael	3	430
	110	Piapot	2	330
	111	Maple Creek	N/A	343
4B	139	Gull Lake	NIL	401
	141	Big Stick	3	377
	142	Enterprise	N/A	411
	169	Pittville	N/A	314
	171	Fox Valley	10	335
	229	Miry Creek	N/A	397
	231	Happyland	N/A	340
5A	181	Langenberg	35	322
	183	Fertile Belt	N/A	320
	185	Mcleod	4	327
	186	Abernethy	1	270
	211	Churchbridge	15	342
	213	Saltcoats	8	319
	216	Tullymet	N/A	219
	241	Calder	N/A	311
	243	Wallace	N/A	335
	245 A	Garry	N/A	392
	245 B	Garry	N/A	408
	246	Ituna Bon Accord	3	273
	247	Kellross	25	406
	248	Touchwood	8	241
5B	271	Cote	23	306
	275	Insinger	N/A	NIL
	276	Foam Lake	26	537
	277	Emerald	21	513
	278	Kutawa	N/A	NIL
	305	Invermay	38	657
	307	Elfros	21	601
	308	Big Quill	5	390
	333	Clayton	N/A	133
	335	Hazel Dell	7	377
	336	Sasman	19	466
	337	Lakeview	13	393
	338	Lakeside	53	466
	366	Kelvington	13	333
6A	190 A	Dufferin	28	243
	190 B	Dufferin	N/A	288
	190 C	Dufferin	19	268
	190 D	Dufferin	N/A	314
	219 A	Longlaketon	N/A	250
	219 B	Longlaketon	11	284
	220	Mckillop	17	298
	221	Samsa	18.2	359
	222	Craik	18	367
	251	Big Arm	23	366
	252	Arm River	10	321
	279	Mount Hope	22	354
	280	Wreford	3	323
	282	McCraney	13	392
	309	Prairie Rose	N/A	393
	313	Lost River	N/A	308
	339	Leroy	52.2	463
	340	Wolverine	24	460
	341	Viscount	N/A	389
	343	Blucher	34.5	442
6B	253	Willner	16	310
	283	Rosedale	13	409
	284	Rudy	19	433
	285	Fertile Valley	18	361
	286	Milden	N/A	361
	314	Dundurn	14	434
	344	Corman Park	NIL	428
	346	Perdue	1	450
	376 A	Eagle Creek	N/A	550
	376 B	Eagle Creek	20	442
7A	260	Newcombe	N/A	346
	260 B	Newcombe	11	243
	287	St. Andrews	5	303
	288	Pleasant Valley	13	326
	290 A	Kindersley	17	259
	290 B	Kindersley	3	306
	292	Milton	12	280
	317 A	Marriott	27	430
	317 B	Marriott	5	432
	318 A	Mountain View	34	360
	318 B	Mountain View	34	432
	320	Oakdale	N/A	295
	321	Prairiedale	9	326

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7B	347 A	Biggar	18	383
	347 B	Biggar	N/A	415
	350 A	Mariposa	8	241
	350 B	Mariposa	20	291
	351	Progress	14	335
	352	Heart's Hill	32	393
	377	Glenside	31	429
	378 A	Rosemount	25	321
	378 B	Rosemount	17	401
	379	Reford	14	349
	380	Tramping Lake	23	323
	381	Grass Lake	4	396
	382	Eye Hill	15	335
	409	Buffalo	5	453
	410	Round Valley	46	358
	411	Senlac	18	355
8A	395	Porcupine	6	348
	397	Barrier Valley	10.3	425
	428	Star City	N/A	330
	456	Arborfield	71	337
	457	Connaught	96	487
	458	Willow Creek	61	418
	486	Moose Range	6	292
8B	369	St. Peter	7	420
	370	Humboldt	2	497
	371	Bayne	N/A	413
	372	Grant	3.2	390
	402	Fish Creek	NIL	347
	429 A	Flett's Springs	N/A	254
	429 B	Flett's Springs	4	392
	430	Invergordon	N/A	43
	459	Kinistino	15	388
9AE	461	Prince Albert	4.5	404
	488	Torch River	17	405
	520	Paddockwood	N/A	67
9AW	406	Mayfield	10	314
	435	Redberry	N/A	406
	436	Douglas	13	241
	463	Duck Lake	4	314
	464	Leask	N/A	389
	467	Round Hill	N/A	NIL
	494	Canwood	27	413
	496	Spiritwood	53	427
	497	Medstead	N/A	285
9B	438	Battle River	NIL	356
	440	Hillsdale	45.5	323
	442	Manitou Lake	18.9	300
	498 A	Parkdale	5	325
	498 B	Parkdale	8	284
	499	Mervin	19.1	262
	501 A	Frenchman Butte	29	294
	501 B	Frenchman Butte	14	275
	501 C	Frenchman Butte	N/A	278
	502	Britannia	20	329
	561	Loon Lake	N/A	280
	588 A	Meadow Lake	N/A	300
	588 B	Meadow Lake	4	332
	588 C	Meadow Lake	21	329
	588 D	Meadow Lake	N/A	278
	622	Beaver River	N/A	299

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2010
To: July 26, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200
Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 28, 2010

Cropland Topsoil Moisture Conditions

July 27, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 28, 2010

Cumulative Rainfall

From: April 1, 2010
To: July 26, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

©2010 Government of Saskatchewan

0 25 50 100 150 200
Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 28, 2010

Cropland Topsoil Moisture Conditions

July 27, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

©2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 28, 2010

Hay and Pasture Topsoil Moisture Conditions

July 27, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 28, 2010

Pasture Conditions

July 27, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Pasture status - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 28, 2010

Hay and Pasture Topsoil Moisture Conditions

July 27, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

©2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 28, 2010

Pasture Conditions

July 27, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

Projection: UTM Zone 13, Datum: NAD83

Data Source:
Pasture status - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 28, 2010

Availability of Livestock Water

July 27, 2010



Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Livestock water - Saskatchewan Ministry of Agriculture
Crop Report Database

Prepared by: Geomatics Services Date: July 28, 2010